

To: Griswold, Hays[Griswold.Hays@epa.gov]; Way, Steven[way.steven@epa.gov]; Guy, Kerry[Guy.Kerry@epa.gov]
Cc: Williams, Laura[williams.laura@epa.gov]
From: Ostrander, David
Sent: Thur 11/5/2015 3:02:13 PM
Subject: FW: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King Mine _ Redacted

Would anyone be willing to give a short report (just a few bullets) on any differences between Alexco's proposal and actual onsite build out?

Thanks

From: StClair, Christie
Sent: Wednesday, November 04, 2015 12:16 PM
To: Ostrander, David
Cc: Braun, Richard; Peterson, Cynthia; Grantham, Nancy
Subject: RE: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King Mine _ Redacted

Ah, thanks for flagging. I just checked and it did post earlier:

<http://www2.epa.gov/sites/production/files/2015-10/documents/alexco-proposal-gold-king-mine-redacted.pdf>

I would like to flag for the writer, though, if what's in the proposal isn't exactly what has been built.

Christie

Christie St. Clair

Office of Public Affairs

Environmental Protection Agency

Washington, DC

o: 202-564-2880

m: 202-768-5780

From: Ostrander, David

Sent: Wednesday, November 04, 2015 1:23 PM

To: StClair, Christie <StClair.Christie@epa.gov>

Cc: Braun, Richard <Braun.Richard@epa.gov>; Peterson, Cynthia
<Peterson.Cynthia@epa.gov>; Grantham, Nancy <Grantham.Nancy@epa.gov>

Subject: Re: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King
Mine _ Redacted

It will take Steve or someone more directly involved. There will need some judgement as to what level of detail we want in terms of changes.

Did we not post this earlier?

Sent from my iPhone

On Nov 4, 2015, at 11:20 AM, StClair, Christie <StClair.Christie@epa.gov> wrote:

Okay; who would be able to help me address that question?

Christie St. Clair

Office of Public Affairs

Environmental Protection Agency

Washington, DC

o: 202-564-2880

m: 202-768-5780

From: Ostrander, David

Sent: Wednesday, November 04, 2015 1:15 PM

To: StClair, Christie <StClair.Christie@epa.gov>; Braun, Richard
<Braun.Richard@epa.gov>

Cc: Peterson, Cynthia <Peterson.Cynthia@epa.gov>; Grantham, Nancy
<Grantham.Nancy@epa.gov>

Subject: Re: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold
King Mine _ Redacted

I believe this was cleared through contracting but checking here with Richard. I don't know what may have changed between proposal and implementation.

Sent from my iPhone

On Nov 4, 2015, at 11:11 AM, StClair, Christie <StClair.Christie@epa.gov> wrote:

Hi David,

Thanks for providing the schematics of the treatment plant. I've got a few questions (as I always do, right?)

1. Has this proposal been cleared by Alexon and ER for public release?

2. I'm inclined to share the full proposal, not just the schematics. Is there any reason not to do so?
3. Do you have any concerns if we post this on the GKM site? (Will also get OGC and OSWER review before posting.)
4. Can you find out what deviations, if any, exist between the proposal versus the as-built versions?

Thanks so much, David.

Christie

Christie St. Clair

Office of Public Affairs

Environmental Protection Agency

Washington, DC

o: 202-564-2880

m: 202-768-5780

From: Peterson, Cynthia

Sent: Wednesday, November 04, 2015 8:38 AM

To: StClair, Christie <StClair.Christie@epa.gov>
Cc: Grantham, Nancy <Grantham.Nancy@epa.gov>
Subject: FW: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King Mine _ Redacted

Hi, Christie.

The Silverton Standard requested a schematic of the water treatment plant at Gladstone. David provided this redacted copy of the Alexon Proposal that has a schematic included. Can you send this to him with the caveats David included in his email regarding the general nature of the layout?

Thanks,

Cynthia

Cynthia Peterson

Community Involvement Coordinator

Public Affairs and Community Involvement

U.S. Environmental Protection Agency, Region VIII

1595 Wynkoop St. (8OC-PAI)

Denver, CO 80202-1129

303-312-6879 -- direct dial

From: Ostrander, David
Sent: Tuesday, November 03, 2015 2:04 PM
To: Peterson, Cynthia
Subject: FW: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King Mine _ Redacted

The proposal attached has a schematic diagram. I'm not sure if this reflects the as built construction or not. It is a fairly general layout diagram. I had trouble before copying it from the pdf file.

From: Braun, Richard
Sent: Tuesday, September 29, 2015 8:03 AM
To: Ostrander, David
Cc: Boydston, Michael; Mills, Bethany; Williams, Laura; Sandoval, Joni
Subject: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King Mine _ Redacted

David,

Our prime contractor, ER, has provided a redacted copy of the proposal from their subcontractor Alexco. I recommend that you clear any public release of information with FOIA or Mike Boydston.

FYI, I am still waiting for contractor(ER) to provide a redacted copy of the rest of the subcontract.

Richard Braun

EPA Region 8

Contracting Officer

303-312-6380

braun.richard@epa.gov


From: Marilyn Smith [<mailto:m.smith@erllc.com>]
Sent: Monday, September 28, 2015 4:35 PM
To: Braun, Richard; Mills, Bethany
Subject: Alexco - Proposal for Gold King Mine _ Redacted

Marilyn Smith

Program Manager

Environmental Restoration LLC

<http://www.erllc.com/>



Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.